


Collated Nails

20° Full Round Head Framing Nails

Plastic Collated



Item #	Code	Size	Shank	Finish	Qty	Stock*
GD21APBSN-5M	SEN	2" x .113	Smooth	Bright Basic	5M	Y
GL21APBSN	SEN	2" x .113	Ring	Bright Basic	5M	A
MD23APBSN	SEN	2¼" x .148	Smooth	Bright Basic	4M	A
GD24APBSN-5M	SEN	2⅝" x .113	Smooth	Bright Basic	5M	Y
GL24APBSN-5M	SEN	2⅝" x .113	Ring	Bright Basic	5M	Y
M002042-2.5M	SEN	2⅝" x .113	Ring	Galvanized	2.5M	Y
GL24AABSN-5M	SEN	2⅝" x .113	Ring	Galvanized	5M	Y
GD25AABSN	SEN	2½" x .113	Smooth	Galvanized	5M	A
GD25APBSN	SEN	2½" x .113	Smooth	Bright Basic	5M	A
KD25APBSN	SEN	2½" x .131	Smooth	Bright Basic	4M	A
KD27APBSN-4M	SEN	3" x .131	Smooth	Bright Basic	4M	Y
KD27ASBS-2.5M	SEN	3" x .131	Smooth	Hot Dipped	2.5M	Y
KD27AABSN	SEN	3" x .131	Ring	Galvanized	4M	A
KD27APBSN	SEN	3" x .131	Smooth	Bright Basic	4M	A
KD27AABSN	SEN	3" x .131	Smooth	Galvanized	4M	A
MD27APBSN**	SEN	3" x .148	Smooth	Bright Basic	4M	A
KD28APBSN-4M	SEN	3¼" x .131	Smooth	Bright Basic	4M	Y
KD28AABSN	SEN	3¼" x .131	Smooth	Galvanized	4M	A
KD29APBSN-4M	SEN	3½" x .131	Smooth	Bright Basic	4M	Y
KD29AABSN	SEN	3½" x .131	Smooth	Galvanized	4M	A

**For use in SENCO SN65C, FramePro 750XL FRH and 752XP

These tools use the above nails




Additional tools:

- Senco FramePro 602 / 652
- 702XP / 752XP
- Senco Sn65 / 65C
- Bostitch N90RHN
- DeWalt D51845
- Hitachi NR83A
- Paslode 5324SRH



34° Clipped Head Framing Nails

Paper Tape Collated



Item #	Code	Size	Shank	Finish	Qty	Stock*
GC21APBK-2.5M**	SEN	2" x .113	Smooth	Bright Basic	2.5M	Y
GC24APBKN-2.5M	SEN	2⅜" x .113	Smooth	Bright Basic	2.5M	Y
GC24ASBK-2M	SEN	2⅜" x .113	Smooth	Hot Dipped	2M	Y
GE24AABKN-2.5M	SEN	2⅝" x .113	Ring	Galvanized	1M	Y
GE24APBK	SEN	2⅝" x .113	Ring	Bright Basic	5M	A
GC25AABKN-5M	SEN	2½" x .113	Smooth	Galvanized	5M	Y
GC25APBK-5M	SEN	2½" x .113	Smooth	Bright Basic	5M	Y
HC27AABK	SEN	3" x .120	Smooth	Galvanized	3M	A
HC27APBKN	SEN	3" x .120	Smooth	Bright Basic	3M	A
HE27AABKN	SEN	3" x .120	Ring	Galvanized	1M	A
KC27APBK-3M	SEN	3" x .131	Smooth	Bright Basic	3M	Y
KC27ASBK-2M	SEN	3" x .131	Smooth	Hot Dipped	2M	Y
KC28AABK-3M	SEN	3¼" x .131	Smooth	Galvanized	3M	Y
KC28AGBK-1M	SEN	3¼" x .131	Smooth	Stainless	1M	Y
KC28APBK-3M	SEN	3¼" x .131	Smooth	Bright Basic	3M	Y
HC28APBKN	SEN	3¼" x .120	Smooth	Bright Basic	3M	A
KC29AABK-3M†	SEN	3½" x .131	Smooth	Galvanized	3M	Y
KC29APBK-3M†	SEN	3½" x .131	Smooth	Bright Basic	3M	Y

**Block out required for SENCO SN70/SN4

† Does not fit SENCO SN325, SENCO SN325+, Paslode 5325S, Paslode IM325

These tools use the above nails



Additional tools:

- Senco SN4
- Senco FramePro 650
- 601 / 651
- 700 / 750
- 701XP / 751XP
- DeWalt D51823
- Hitachi NR83A
- Paslode 5350S
- Paslode IM325
- Paslode F350S/S
- Paslode 5325S
- Porter-Cable FC350

*Y = stock item; A = readily available by order

Collated Nails

PROFIT
PROFESSIONAL FIT

31° Clipped Head Framing Nails

Paper Collated Strip Nails



Item #	Code	Size	Gauge	Description	Box	Stock*
634150-2M	NN	2 3/8"	.113	Ring Shank, Galvanized	2M	Y
631170	NN	3"	.120	Ring Shank, Galvanized	2.5M	A
634180-2M	NN	3 1/4"	.120	Ring Shank, Galvanized	2M	Y

Coated Paper Collated Strip Nails

Item #	Code	Size	Gauge	Description	Box	Stock*
600130-5M	NN	2"	.113	Smooth	5M	Y
602130	NN	2"	.113	Ring Shank	5M	A
600150-5M	NN	2 3/8"	.113	Smooth	5M	Y
602150-5M	NN	2 3/8"	.113	Ring Shank	5M	Y
600170-2.5M	NN	3"	.131	Smooth	2.5M	Y
600171	NN	3"	.120	Smooth	2.5M	A
600190-2.5M	NN	3 1/4"	.131	Smooth	2.5M	Y
600191	NN	3 1/4"	.120	Smooth	2.5M	A

31° CH Framing Nails Fit:

- Hitachi NR83AA
- Paslode Impulse 300
- Paslode Impulse 325
- Paslode SK312
- Paslode 5300
- Paslode 5325
- Paslode 5350
- Porter Cable FC350
- Senco Framepro 600/650
- Senco SN-2
- Senco SN2+
- Senco SN-325
- Senco SN-4
- Senco SN-70
- Senco 701XP
- Senco 751XP
- Senco 700XL
- Senco 750XL

22° Round Head Framing Nails

Coated Plastic Collated Strip Nails



Item #	Code	Size	Gauge	Description	Box	Stock*
616130	NN	2"	.113	Smooth	6M	A
702130	NN	2"	.113	Drive Screw	6M	A
710130	NN	2"	.113	Ring Shank	6M	A
702140	NN	2 1/4"	.113	Drive Screw	5M	A
616150-5M	NN	2 3/8"	.113	Smooth	5M	Y
702150	NN	2 3/8"	.113	Drive Screw	5M	A
710150-5M	NN	2 3/8"	.113	Ring Shank	5M	Y
807150-5M	NN	2 3/8"	.113	Ring Shank, Galvanized	5M	Y
616170-4M	NN	3"	.131	Smooth	4M	Y
616171	NN	3"	.120	Smooth	4M	A
703170	NN	3"	.120	Drive Screw	4M	A
616190-4M	NN	3 1/4"	.131	Smooth	4M	Y
616191	NN	3 1/4"	.120	Smooth	4M	A
703180	NN	3 1/4"	.120	Drive Screw	4M	A
809191-4M	NN	3 1/4"	.120	Drive Screw, Galvanized	4M	Y

STANLEY BOSTITCH

28° Framing Nails Wire Collated Strip Nails


Item #	Code	Description	Length	Std. Box	Stock*
S6D-2M	BST	.113 Plain Shank, Coated	6d - 2"	2M	Y
S6DGAL-2M	BST	.113 Plain Shank, Galvanized	6d - 2"	2M	A
S6DR113-2M	BST	.113 Ring Shank, Coated	6d - 2"	2M	A
S6DR113GAL	BST	.113 Ring Shank, Galvanized	6d - 2"	2M	A
S8DFH	BST	.131 Plain Shank, Coated	8d - 2 1/2"	2M	Y
S8D131GAL	BST	.131 Plain Shank, Galvanized	8d - 2 1/2"	2M	A
S8DGAL-2M	BST	.120 Plain Shank, Galvanized	8d - 2 1/2"	2M	Y
S8DRGAL	BST	.120 Ring Shank, Galvanized	8d - 2 1/2"	2M	A
S8DSS	BST	.120 Plain Shank, Stainless	8d - 2 1/2"	2M	A
S10D	BST	.120 Plain Shank, Coated	10d - 3"	2M	A
S10D131	BST	.131 Plain Shank, Coated	10d - 3"	2M	A
S10DGAL	BST	.120 Plain Shank, Galvanized	10d - 3"	2M	A
S10DRGAL	BST	.120 Ring Shank, Galvanized	10d - 3"	2M	A
S10DSGAL	BST	.120 Screw Shank, Galvanized	10d - 3"	2M	A
S10DSS	BST	.120 Plain Shank, Stainless	10d - 3"	2M	A
S12D-FH	BST	.120 Plain Shank, Coated	12d - 3 1/4"	2M	Y
S12D131	BST	.131 Plain Shank, Coated	12d - 3 1/4"	2M	A
S12DGAL-2M	BST	.120 Plain Shank, Galvanized	12d - 3 1/4"	2M	Y
S12DSGAL	BST	.120 Screw Shank, Galvanized	12d - 3 1/4"	2M	A
S12DSS	BST	.120 Plain Shank, Stainless	12d - 3 1/4"	2M	A
S16D131	BST	.131 Plain Shank, Coated	16d - 3 1/2"	2M	A
S16D131GAL	BST	.131 Plain Shank, Galvanized	16d - 3 1/2"	2M	A
S20D131	BST	.131 Plain Shank, Coated	20d - 4"	2M	A

These tools use the above nails



Additional tools:

- Bostitch N16
- Bostitch N86S
- Bostitch N70S
- Bostitch N70SB



A - Plain Shank
B - Ring Shank
C - Screw Shank

22° RH Framing Nails Fit:

- Airy ABL-8290
- Astro RHS921
- Bostitch N90RHN
- Bostitch N95RHN
- Campbell NS2090
- Duo-Fast CN137
- Duo-Fast CN350
- Duo-Fast CN350B-SH
- Duo-Fast SNP83
- Fasco R5C-RHN-20-90SS-CT
- Hitachi NR83A
- Hitachi NR90AC
- Makita AN8300
- Max CN80
- Max SN90
- Paslode 5325 SRH
- Paslode 5350 SRN-20
- Paslode 5454
- Porter Cable FR350
- Senco SN60
- Senco SN65
- Senco SN65C
- Senco 702XP

Collated Nails

ProStrip™ Round Drive Framing Nails

Paper Collated Strip Nails

Paslode's ProStrip paper tape collated nails provide high holding power and ease of drive. Nail strip will not break when dropped and will not deteriorate in wet weather. Also, no collation material is left on the job site. Paper collation is driven into the wood, reducing flagging.



Item #	Code	Size	Gauge	Shank	Finish	Box	Stock*
650014-3M	PAS	1½"	.148	Smooth	Galvanized	3M	Y
650381-2M	PAS	2"	.113	Ring	Galvanized	2M	Y
650237-5M	PAS	2¾"	.113	Smooth	Brite	5M	Y
650238-5M	PAS	2¾"	.113	Ring	Brite	5M	Y
650383-2M	PAS	2¾"	.113	Ring	Galvanized	2M	Y
650382-2M	PAS	2¾"	.113	Smooth	Galvanized	2M	Y
650385-2M	PAS	3"	.120	Ring	Galvanized	2M	Y
650236-2.5M	PAS	3"	.120	Smooth	Brite	2.5M	Y
650210-2.5M	PAS	3"	.131	Smooth	Brite	2.5M	Y
650387-2M	PAS	3"	.131	Ring	Galvanized	2M	Y
650239-2.5M	PAS	3¼"	.131	Smooth	Brite	2.5M	Y
650388-2M	PAS	3¼"	.131	Smooth	Galvanized	2M	Y



30° Offset Round Head Framing Nails & Fuel Combo Pack

Paper Collated Strip Nails

Combo pack includes one Quicklode™ fuel cell, two fuel cell adapters and 1,000 nails.

- Each combo pack includes two fuel cell adapters that allow the fuel cell to work with any Paslode framing nailer
- PowerBoost™ black tip coating drives nails deeper into tough lumber
- Code recognized offset full nail head
- Fuel cell drives over 1,000 nails

Item #	Code	Size	Gauge	Shank	Finish	Box	Stock*
650522-1M	PAS	2¾"	.113	Smooth	Brite	1M	Y
650523-1M	PAS	2¾"	.113	Ring	Brite	1M	Y
650526-1M	PAS	2¾"	.113	Ring	Galvanized	1M	Y
650524-1M	PAS	3"	.120	Smooth	Brite	1M	Y
650527-1M	PAS	3"	.120	Ring	Galvanized	1M	Y
650535-1M	PAS	3¼"	.131	Smooth	Galvanized	1M	Y

These tools use the above nails



Paslode
IMCT



Paslode
F-350S

STANLEY BOSTITCH

15° Round Head Framing Nails



Coated Wire Coil Nails

Item #	Code	Size	Gauge	Description	Box	Stock*
C10P120D-2.7M	BST	3"	.120	Smooth Shank	2.7M	Y

These tools use the above nails:

- Bostitch N80CB
- Bostitch N89C
- Bostitch N100C
- Duofast CNW-75
- Hitachi NV83A
- Makita AN901
- Paslode F275C/P275C
- Paslode F325C/P325C
- Porter Coil350

We Rent Air Nailers,
Staplers & Accessories

CALL OUR
RENTAL DEPARTMENT
FOR RATES!

*Y = stock item; A = readily available by order

Utica 315-724-7119

Watertown 315-788-2612

Syracuse 315-671-4400

Collated Nails



PROFIT
PROFESSIONAL FIT

15° Round Head Framing Nails

Coated Wire Coil Nails

Item #	Code	Size	Gauge	Description	Box	Stock*
614110	NN	1 1/4"	.099	Drive Screw	9M	A
616633-3M	NN	2"	.113	Smooth	3M	Y
614130	NN	2"	.099	Drive Screw	9M	A
614131	NN	2"	.099	Drive Screw	4.5M	A
615130	NN	2"	.113	Drive Screw	9M	A
615131	NN	2"	.113	Drive Screw	4.5M	A
616433-3M	NN	2"	.113	Ring Shank	3M	Y
614140	NN	2 1/4"	.099	Drive Screw	9M	A
614141	NN	2 1/4"	.099	Drive Screw	4.5M	A
615140	NN	2 1/4"	.113	Drive Screw	9M	A
615141	NN	2 1/4"	.113	Drive Screw	4.5M	A
616653	NN	2 3/8"	.113	Smooth	3M	A
616453-3M	NN	2 3/8"	.113	Ring Shank	3M	Y
634151-3M	NN	2 3/8"	.113	Ring Shank, Galvanized	3M	Y
614150	NN	2 1/2"	.099	Drive Screw	9M	A
614151	NN	2 1/2"	.099	Drive Screw	4.5M	A
615150	NN	2 1/2"	.113	Drive Screw	9M	A
616670	NN	3"	.131	Smooth	2.5M	A
616673-2.5M	NN	3"	.120	Smooth	2.5M	Y
615170	NN	3"	.120	Drive Screw	2.5M	A
616473	NN	3"	.121	Ring Shank	3M	A
616690	NN	3 1/4"	.120	Smooth	2.5M	A
616693-2.5M	NN	3 1/4"	.131	Smooth	2.5M	Y
615190	NN	3 1/4"	.120	Drive Screw	2.5M	A
634181-2.5M	NN	3 1/4"	.120	Ring Shank, Galvanized	2.5M	Y

15° RH Framing Nails Fit:

- Atro RHC700
- Atro RHC900
- Atro ROL185
- Bea T701
- Bostitch N65CP
- Bostitch N70C
- Bostitch N80C
- Bostitch N86C
- Bostitch N100C
- Duo-Fast CNW75
- Fasco F5C CN15W65
- Fasco F5C CN15W90
- Hilti RC 31148
- Hitachi NV65AC
- Hitachi NV83A
- Max CN70
- Max CN80
- Paslode 3250/HSF
- Paslode 4275/CN70
- Paslode 5325/CN80
- Senco SCN300
- Senco SCN60
- Senco SCN65
- Stan-Tech SDCN-12B-1



Collated Fastener Tubs

Item #	Code	Size	Gauge	Description	Box	Stock*
21° Plastic Round Head						
GR04HG1M	GPR	2"	.113	HG Ring	1M	Y
GR071M	GPR	2 3/8"	.113	CTD Smooth	1M	Y
GR08R1M	GPR	2 3/8"	.113	CTD Ring	1M	Y
GR08RHG1M	GPR	2 3/8"	.113	HG Ring	1M	Y
GR3011M	GPR	3"	.120	CTD Smooth	1M	Y
GR408HG1M	GPR	3"	.120	HG Ring	1M	Y
GR0141M	GPR	3"	.131	CTD Smooth	1M	Y
GR033HG1M	GPR	3"	.131	HG Smooth	1M	Y
GR0241M	GPR	3 1/4"	.131	CTD Smooth	1M	Y
GR034HG1M	GPR	3 1/4"	.131	HG Smooth	1M	Y

30° Offset Round Head Paper Tape

GRP6RHGH1	GPR	2"	.113	HG Ring	1M	Y
GRP8H1	GPR	2 3/8"	.113	CTD Smooth	1M	Y
GRP8RH1	GPR	2 3/8"	.113	CTD Ring	1M	Y
GRP8RHGH1	GPR	2 3/8"	.113	HG Ring	1M	Y
GRP10H1	GPR	3"	.120	CTD Smooth	1M	Y
GRP10RHGH1	GPR	3"	.120	HG Ring	1M	Y
GRP10ZH1	GPR	3"	.131	CTD Smooth	1M	Y
GRP10ZHGH1	GPR	3"	.131	HG Smooth	1M	Y
GRP12ZH1	GPR	3 1/4"	.131	CTD Smooth	1M	Y
GRP12ZHGH1	GPR	3 1/4"	.131	HG Smooth	1M	Y

28° Offset Round Head Wire Weld

GRW8H1	GPR	2 3/8"	.113	CTD Smooth	1M	A
GRW8RH1	GPR	2 3/8"	.113	CTD Ring	1M	A
GRW8RHGH1	GPR	2 3/8"	.113	HG Ring	1M	A
GRW10RHGH1	GPR	3"	.120	HG Ring	1M	A
GRW12H1	GPR	3 1/4"	.120	CTD Smooth	1M	A
GRW12ZH1	GPR	3 1/4"	.131	CTD Smooth	1M	A
GRW16ZH1	GPR	3 1/2"	.131	CTD Smooth	1M	A

15° Coil Roofing

GRCR3TRC	GPR	1 1/4"	.131	—	600	A
----------	-----	--------	------	---	-----	---

15° Wire Siding

GRC7R92G1	GPR	2 3/16"	.092	EG Ring	1M	Y
GRC7R9SST	GPR	2 3/16"	.092	304SS RS White	1.2M	Y

*Y = stock item; A = readily available by order